



HH

Page 1 of 1

0300

\$

UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/002,888	12/05/2001	Meir Ibguy	

CONFIRMATION NO. 7860

FORMALITIES LETTER



OC000000007296959

Meir Ibguy
632 Kings Hwy, apt. 3C
Brooklyn, NY 11223

Date Mailed: 01/11/2002

NOTICE OF INCOMPLETE NONPROVISIONAL APPLICATION

02/05/2002 SMINASS1 00000002 10002888

FILED UNDER 37 CFR 1.53(b)

01 FC:201 15.00 DP

A filing date has NOT been accorded to the above-identified application papers for the reason(s) indicated below.

All of the items noted below and a newly executed oath or declaration covering the items must be submitted within **TWO MONTHS** of the date of this Notice, unless otherwise indicated, or proceedings on the application will be terminated (37 CFR 1.53(e)).

The filing date will be the date of receipt of all items required below, unless otherwise indicated. Any assertions that the item(s) required below were submitted, or are not necessary for a filing date, must be by way of petition directed to the attention of the Office of Petitions accompanied by the \$130.00 petition fee (37 CFR 1.17(h)). If the petition states that the application is entitled to a filing date, a request for a refund of the petition fee may be included in the petition.

- The specification does not include at least one claim.
A complete specification as prescribed by 35 U.S.C. 112 is required.

The required items noted below SHOULD be filed along with any items required above. The filing date of this nonprovisional application will be the date of receipt of the items required above.

- The statutory basic filing fee is insufficient.
Applicant must submit \$ 15 to complete the basic filing fee for a small entity.
- The balance due by applicant is \$ 15.

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE




Meir Ibguy
Citizen of the United States
Mailing address:
632 Kings HWY, apt. 3C
Brooklyn, NY, 11223

Application no: 10/002,888
Confirmation no: 7860


United states Department of Commerce
Patent & Trademark Office
Commissioner of Patents & Trademarks
Washington , D.C. 20231

As the below named inventor, I hereby declare that:
My residence, mailing address ,and citizenship are as stated above.
I believe I am the original and the only inventor of the subject matter, which is claimed
and for which a patent is sought on the invention entitled:
"A device for distributing antibacterial spray in a human shoe"

Dated: Brooklyn ,New York
January 16,2002


Meir Ibguy, Inventor

Subscribed and sworn
Before me this 16 th Day of
January ,2002


Notary Public – State of New York

MELODY ROSE BRUNO
NOTARY PUBLIC STATE OF NEW YORK
NO. 01BR6010941
QUALIFIED IN KINGS COUNTY
COMMISSION EXPIRES 07/27/2002

2002 JAN 16 04 30 PM



Meir Ibguy
632 KingsHWY, apt.3C
Brooklyn, NY, 11223

**United States Department of Commerce
Patent & Trademark Office**

You can see the claims in the specification of my application concerning **"A device for distributing antibacterial spray in a human shoe"** (application no: 10/002,888) on page 1 and page 2.

Besides I'm presenting the claims of the mentioned invention according to your request (confirmation no : 7860)

Claims

It is claimed:

1. The device for distributing antibacterial product inside a human shoe comprising;
 - a. A source for antibacterial product - a tank with antibacterial spray;
 - b. A body embodied inside a fiber, on the ground of a shoe consisting of two parts: a tube connected both with the tank and with another part of the body - a "shower" which is triggered to the front part, inside a shoe.
2. A shoe having different design from an ordinary shoe. The shoe must have the device claimed in the claim 1 with a "pocket" attached to the back, outside a shoe in which ~~the tank full of antibacterial product is placed.~~